



Mango Pineapple

Strain: Mango Pineapple
Matrix: Ingestible
Type: Beverage
Sample Size: ; Batch:

Expiration: 06/16/2026
Collected: 07/21/2025
Received: 07/21/2025
Completed: 07/22/2025
Batch#: C-25167-DMP-10

Client
Dad Grass
Lic. #
1920 E Warner Ave
Santa, CA 92705



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/21/2025	Complete
Foreign Matter	07/21/2025	Pass
Heavy Metals	07/21/2025	Pass
Microbials	07/22/2025	Pass
Mycotoxins	07/21/2025	Pass
GCMS Pesticides	07/22/2025	Pass
LCMS Pesticides	07/21/2025	Pass
Residual Solvents	07/22/2025	Pass

Cannabinoids

Complete

3.124 mg/serving	6.355 mg/serving	9.479 mg/serving
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/serving	Result mg/package
CBC	0.009	0.025	ND	ND	ND	ND
CBD	0.003	0.001	0.0018	0.018	6.355	6.355
CBDa	0.019	0.050	ND	ND	ND	ND
CBG	0.019	0.100	ND	ND	ND	ND
CBN	0.009	0.050	ND	ND	ND	ND
Δ8-THC	0.025	0.100	ND	ND	ND	ND
Δ9-THC	0.002	0.001	0.0009	0.009	3.124	3.124
THCa	0.013	0.050	ND	ND	ND	ND
THCV	0.025	0.100	ND	ND	ND	ND
Total THC			0.001	0.009	3.124	3.124
Total CBD			0.002	0.018	6.354	6.354
Total CBG			ND	ND	ND	ND
Total			0.003	0.027	9.479	9.479



Date Tested: 07/21/2025
 Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
 Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
 Cannabinoids: HPLC, SOP-004
 Water Activity: Water Activity Meter, SOP-012
 Moisture Content: Moisture Analyzer, SOP-011
 Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlms.com
(866) 506-5866
www.con.dentlms.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

Mango Pineapple

Strain: Mango Pineapple	Expiration: 06/16/2026	Client
Matrix: Ingestible	Collected: 07/21/2025	Dad Grass
Type: Beverage	Received: 07/21/2025	Lic. #
Sample Size: ; Batch:	Completed: 07/22/2025	1920 E Warner Ave
	Batch#: C-25167-DMP-10	Santa, CA 92705

GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.054	0.097	0.7	ND	Pass
Chlordane (trans + cis)	0.058	0.098	0.058	ND	Pass
Chlorfenapyr	0.056	0.097	0.056	ND	Pass
Cyuthrin	0.052	0.097	2	ND	Pass
Cypermethrin	0.054	0.097	1	ND	Pass
Parathion Methyl	0.039	0.097	0.039	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.062	0.097	0.1	ND	Pass

Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
A atoxin B1	4.0000	5.0000		ND	Tested
A atoxin B2	4.0000	5.0000		ND	Tested
A atoxin G1	4.0000	5.0000		ND	Tested
A atoxin G2	4.0000	5.0000		ND	Tested
Ochratoxin A	10.0000	16.0000	20	ND	Pass
Total A atoxins			20	ND	Pass

Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0150	0.05	0.2	ND	Pass
Cadmium	0.0113	0.05	0.2	ND	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	ND	Pass

GCMS Date Tested: 07/22/2025
Pesticides: GC-MS/MS, GCMS Method SOP-006
LCMS Date Tested: 07/21/2025
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001
Microbial Date Tested: 07/22/2025
Microbials Footnote: Microbial: SOP-010
RFU = Relative Fluorescence Units
Heavy Metals Date Tested: 07/21/2025
Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlims.com
(866) 506-5866
www.con.dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Mango Pineapple

Strain: Mango Pineapple	Expiration: 06/16/2026	Client
Matrix: Ingestible	Collected: 07/21/2025	Dad Grass
Type: Beverage	Received: 07/21/2025	Lic. #
Sample Size: ; Batch:	Completed: 07/22/2025	1920 E Warner Ave
	Batch#: C-25167-DMP-10	Santa, CA 92705

LC Pesticides

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	
Abamectin	0.043	0.097	0.1	ND	Pass	Imazalil	0.043	0.097	ND	Pass
Acephate	0.019	0.097	0.1	ND	Pass	Imidacloprid	0.019	0.097	ND	Pass
Acequinocyl	0.031	0.097	0.1	ND	Pass	Kresoxim Methyl	0.031	0.097	ND	Pass
Acetamiprid	0.023	0.097	0.1	ND	Pass	Malathion	0.023	0.097	ND	Pass
Aldicarb	0.029	0.097	0.029	ND	Pass	Metalaxyl	0.029	0.097	ND	Pass
Azoxystrobin	0.025	0.097	0.1	ND	Pass	Methiocarb	0.025	0.097	ND	Pass
Bifenazate	0.031	0.097	0.1	ND	Pass	Methomyl	0.031	0.097	ND	Pass
Bifenthrin	0.033	0.097	3	ND	Pass	Mevinphos	0.033	0.097	ND	Pass
Boscalid	0.021	0.097	0.1	ND	Pass	Myclobutanil	0.021	0.097	ND	Pass
Carbaryl	0.025	0.097	0.5	ND	Pass	Naled	0.025	0.097	ND	Pass
Carbofuran	0.033	0.097	0.033	ND	Pass	Oxamyl	0.033	0.097	ND	Pass
Chlorantraniliprole	0.025	0.097	10	ND	Pass	Pacllobutrazol	0.025	0.097	ND	Pass
Chlorpyrifos	0.019	0.097	0.019	ND	Pass	Permethrin (trans + cis)	0.019	0.097	ND	Pass
Clofentezine	0.035	0.097	0.1	ND	Pass	Phosmet	0.035	0.097	ND	Pass
Coumaphos	0.039	0.097	0.039	ND	Pass	Piperonyl Butoxide	0.039	0.097	ND	Pass
Daminozide	0.019	0.097	0.019	ND	Pass	Prallethrin	0.019	0.097	ND	Pass
Diazinon	0.031	0.097	0.1	ND	Pass	Propiconazole	0.031	0.097	ND	Pass
Dichlorvos	0.06	0.097	0.06	ND	Pass	Propoxur	0.06	0.097	ND	Pass
Dimethoate	0.027	0.097	0.027	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.027	0.097	ND	Pass
Dimethomorph (I + II)	0.033	0.097	2	ND	Pass	Pyridaben	0.033	0.097	ND	Pass
Ethoprophos	0.023	0.097	0.023	ND	Pass	Spinetoram (J + L)	0.023	0.097	ND	Pass
Etofenprox	0.041	0.097	0.041	ND	Pass	Spinosyn (A + D)	0.041	0.097	ND	Pass
Etoxazole	0.027	0.097	0.1	ND	Pass	Spiromesifen	0.027	0.097	ND	Pass
Fenhexamid	0.031	0.097	0.1	ND	Pass	Spirotetramat	0.031	0.097	ND	Pass
Fenoxycarb	0.041	0.097	0.041	ND	Pass	Spiroxamine	0.041	0.097	ND	Pass
Fenpyroximate	0.023	0.097	0.1	ND	Pass	Tebuconazole	0.023	0.097	ND	Pass
Fipronil	0.037	0.097	0.037	ND	Pass	Thiacloprid	0.037	0.097	ND	Pass
Flonicamid	0.039	0.097	0.1	ND	Pass	Thiamethoxam	0.039	0.097	ND	Pass
Fludioxonil	0.029	0.097	0.1	ND	Pass	Tri oxystrobin	0.029	0.097	ND	Pass
Hexythiazox	0.043	0.097	0.1	ND	Pass		0.043	0.097	ND	Pass



LCMS Date Tested: 07/21/2025
Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

Mango Pineapple

Strain: Mango Pineapple	Expiration: 06/16/2026	Client
Matrix: Ingestible	Collected: 07/21/2025	Dad Grass
Type: Beverage	Received: 07/21/2025	Lic. #
Sample Size: ; Batch:	Completed: 07/22/2025	1920 E Warner Ave
	Batch#: C-25167-DMP-10	Santa, CA 92705

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
Acetone	µg/g	µg/g	µg/g	µg/g	Pass
Acetonitrile	15.4688	46.875	5000	ND	Pass
Benzene	15.4688	46.875	410	ND	Pass
Butane	0.1547	0.4688	1	ND	Pass
Chloroform 1, 2-	15.4688	46.875	5000	ND	Pass
Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	0.1547	0.4688	1	ND	Pass
Ethyl	15.4688	46.875	5000	ND	Pass
Acetate	15.4688	46.875	5000	ND	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl	15.4688	46.875	5000	ND	Pass
Alcohol	15.4688	46.875	3000	ND	Pass
Methanol	0.1547	0.4688	1	ND	Pass
Methylene Chloride	15.4688	46.875	5000	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	890	ND	Pass
Toluene	46.4063	140.625	2170	ND	Pass
Total Xylenes (o,m,p)	0.1547	0.4688	1	ND	Pass
Trichloroethylene					

EXCELBIS
LABS

Date Tested: 07/22/2025
Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.