

## Universal Hemp Panel

### ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
DEA# PA0202945

### CUSTOMER:

Nowadays  
150 Progress Ste 220  
Irvine 92618  
n/a

### MANUFACTURER:

Best Bev, LLC  
685 Broad Street Extension, Waverly, NY 14892  
Waverly 14892  
FDA: 10248362128 NY Food Lic: 229321



### SAMPLE INFORMATION

**Sample No.:** 1369016  
**Product Name:** Nowadays 5mg Black Cherry  
**Matrix:** Edible (Carbonated Beverage)  
**Lot #:** W26439

**Date Collected:** 12/18/2025  
**Date Received:** 12/18/2025  
**Date Reported:** 12/26/2025

### TEST SUMMARY

**Cannabinoid Profile:** ✔ Tested  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

### Customer Comment(s):

The batch was processed in a facility that holds a current and valid permit issued by a human health or food safety regulatory entity with authority over the facility, and that facility meets the human health or food safety sanitization requirements of the regulatory entity.

### Cannabinoid Profile ✔ Tested

12/18/2025

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g  
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid              | mg/g   | %       | mg/ml  | mg/serving | mg/package | Labeled mg/serving | % Difference |
|--------------------------|--------|---------|--------|------------|------------|--------------------|--------------|
| Δ8-THC                   | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| Δ9-THC                   | 0.0168 | 0.00168 | 0.0169 | 5.99       | 5.99       | 5                  | 19.84        |
| Δ9-THCA                  | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| THCV                     | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| THCVA                    | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBD                      | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBDA                     | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBC                      | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBCA                     | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBDV                     | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBG                      | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBGA                     | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| CBN                      | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| Exo-THC                  | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| (6aR,9R)-Δ10-THC         | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| (6aR,9S)-Δ10-THC         | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| 9(R)-Hexahydrocannabinol | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| 9(S)-Hexahydrocannabinol | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| Δ8-THC-O-Acetate         | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| Δ9-THC-O-Acetate         | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| THC-O-Phosphate          | NT     | NT      | NT     | NT         | NT         | -                  | -            |
| Δ8-THCP                  | ND     | ND      | ND     | ND         | ND         | -                  | -            |
| Δ9-THCP                  | ND     | ND      | ND     | ND         | ND         | -                  | -            |

| Cannabinoid                   | mg/g     | %       | mg/ml  | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|
| Total THC                     | 0.0168   | 0.00168 | 0.0169 | 5.99       | 5.99       | -                  | -            |
| Total CBD                     | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| Total Cannabinoids            | 0.0168   | 0.00168 | 0.0169 | 5.99       | 5.99       | -                  | -            |
| Sum of Cannabinoids           | 0.0168   | 0.00168 | 0.0169 | 5.99       | 5.99       | -                  | -            |
| <b>Serving Weight (g)</b>     | 356.6685 |         |        |            |            |                    |              |
| <b>Package Weight (g)</b>     | 356.6685 |         |        |            |            |                    |              |
| <b>g/ml Conversion Factor</b> | 1.0047   |         |        |            |            |                    |              |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Comment(s):** This result of this sample is confirmed with a retest.

## Microbiological Screen ✔ Pass

12/23/2025

| Analyte                   | Findings | Units | Method              | Limit  | Status |
|---------------------------|----------|-------|---------------------|--------|--------|
| Salmonella                | ND       | /25g  | AOAC 2016.01        | ND     | Pass   |
| STEC                      | ND       | /25g  | MF-MICRO-18         | ND     | Pass   |
| Aspergillus flavus        | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Aspergillus fumigatus     | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Aspergillus niger         | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Aspergillus terreus       | ND       | /25g  | MF-MICRO-14         | ND     | Pass   |
| Listeria Species          | ND       | /25g  | AOAC 2016.07        | ND     | Pass   |
| Total Aerobic Plate Count | 0/10     | cfu/g | FDA BAM             | 100000 | Pass   |
| Total Coliforms           | 0/10     | cfu/g | FDA BAM - ECC Agar  | 100    | Pass   |
| E. Coli                   | ND       | /1g   | FDA BAM Modified    | 1      | Pass   |
| Total Enterobacteriaceae  | <1       | cfu/g | AOAC 2003.01        | ND     | Pass   |
| Staphylococcus aureus     | <1       | cfu/g | AOAC 2003.07        | ND     | Pass   |
| Total Yeast and Mold      | 0/10     | cfu/g | FDA BAM             | 100000 | Pass   |
| Campylobacter             | ND       | /25g  | MDS Campylobacter   | -      | -      |
| Yersinia                  | ND       | /25g  | foodproof® Yersinia | -      | -      |

## Pesticide Residue Screen ✔ Pass

12/26/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty**

**Average:** ±21.40%

| Analyte              | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|----------------------|----------------|-----------------|--------------|--------|
| Abamectin            | 0.015/0.05     | ND              | 0.05         | Pass   |
| Acephate             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Acequinocyl          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Acetamiprid          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Aldicarb             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Allethrin            | 0.015/0.05     | ND              | 0.05         | Pass   |
| Ancymidol            | 0.02/0.06      | ND              | 0.06         | Pass   |
| Anthraquinone        | 0.05/0.15      | ND              | 0.25         | Pass   |
| Atrazine             | 0.007/0.02     | ND              | 0.02         | Pass   |
| Azadirachtin         | 0.100/0.30     | ND              | 0.3          | Pass   |
| Azoxystrobin         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Benzovindiflupyr     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Bifenazate           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Bifenthrin           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Boscalid             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Buprofezin           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Captan               | 0.250/0.7      | ND              | 0.7          | Pass   |
| Carbaryl             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Carbofuran           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Chlorantraniliprole  | 0.003/0.01     | ND              | 0.01         | Pass   |
| Chlordane            | 0.020/0.06     | ND              | 0.06         | Pass   |
| Chlorfenapyr         | 0.015/0.05     | ND              | 0.05         | Pass   |
| Chlormequat Chloride | 0.03/0.10      | ND              | 0.1          | Pass   |
| Chlorpyrifos         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Clothianidin         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Clofentezine         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Coumaphos            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Cyantraniliprole     | 0.003/0.01     | ND              | 0.01         | Pass   |

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Cyfluthrin              | 0.015/0.05     | ND              | 0.05         | Pass   |
| Cyhalothrin (Lambda)    | 0.030/0.10     | ND              | 0.1          | Pass   |
| Cypermethrin            | 0.015/0.05     | ND              | 0.05         | Pass   |
| Cyprodinil              | 0.03/0.10      | ND              | 0.1          | Pass   |
| Daminozide              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Deltamethrin I/II       | 0.015/0.05     | ND              | 0.05         | Pass   |
| DDVP (Dichlorvos)       | 0.003/0.01     | ND              | 0.01         | Pass   |
| Diazinon                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Dimethoate              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Dimethomorph            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Dinotefuran             | 0.007/0.02     | ND              | 0.02         | Pass   |
| Diuron                  | 0.007/0.02     | ND              | 0.02         | Pass   |
| Dodemorph               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Endosulfan I (alpha)    | 0.015/0.05     | ND              | 0.05         | Pass   |
| Endosulfan II (beta)    | 0.015/0.05     | ND              | 0.05         | Pass   |
| Endosulfan Sulfate      | 0.015/0.05     | ND              | 0.05         | Pass   |
| Ethoprop(hos)           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etofenprox              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etoxazole               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etridiazole             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenhexamid              | 0.007/0.02     | ND              | 0.02         | Pass   |
| Fenoxycarb              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenpyroximate           | 0.007/0.02     | ND              | 0.02         | Pass   |
| Fensulfothion           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenthion                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenvalerate I/II        | 0.015/0.05     | ND              | 0.05         | Pass   |
| Fipronil                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Flonicamid              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fludioxonil             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fluopyram               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Flurprimidol            | 0.03/0.10      | ND              | 0.1          | Pass   |
| Hexythiazox             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Imazalil                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Imidacloprid            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Indole-3-butyric Acid   | 0.08/0.25      | ND              | 0.25         | Pass   |
| Iprodione               | 0.015/0.05     | ND              | 0.05         | Pass   |
| Kinoprene               | 0.015/0.05     | ND              | 0.05         | Pass   |
| Kresoxim Methyl         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Malathion               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Metalaxyl               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methiocarb              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methomyl                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methoprene              | 0.100/0.30     | ND              | 0.3          | Pass   |
| Methyl parathion        | 0.003/0.01     | ND              | 0.01         | Pass   |
| Mevinphos               | 0.007/0.02     | ND              | 0.02         | Pass   |
| MGK 264                 | 0.015/0.05     | ND              | 0.05         | Pass   |
| Myclobutanil            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Naled                   | 0.003/0.01     | ND              | 0.01         | Pass   |
| Novaluron               | 0.007/0.02     | ND              | 0.02         | Pass   |
| Oxamyl                  | 0.003/0.01     | ND              | 0.01         | Pass   |
| Paclobutrazol           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pendimethalin           | 0.030/0.10     | ND              | 0.1          | Pass   |
| Pentachloronitrobenzene | 0.003/0.01     | ND              | 0.01         | Pass   |
| Permethrins             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Phenothrin              | 0.030/0.10     | ND              | 0.1          | Pass   |
| Phosmet                 | 0.003/0.01     | ND              | 0.01         | Pass   |
| Piperonyl Butoxide      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pirimicarb              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Prallethrin             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Propiconazole           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Propoxur                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pyraclostrobin          | 0.003/0.010    | ND              | 0.01         | Pass   |
| Pyrethrins              | 0.015/0.05     | ND              | 0.05         | Pass   |
| Pyridaben               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pyriproxyfen            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Resmethrin              | 0.007/0.02     | ND              | 0.02         | Pass   |
| Spinetoram              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spinosad                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spirodiclofen           | 0.050/0.15     | ND              | 0.15         | Pass   |
| Spiromesifen            | 0.003/0.01     | ND              | 0.01         | Pass   |

| Analyte                          | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|----------------------------------|----------------|-----------------|--------------|--------|
| Spirotetramat                    | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spiroxamine                      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tebuconazole                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tebufenozide                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Teflubenzuron                    | 0.007/0.02     | ND              | 0.02         | Pass   |
| Tetrachlorvinphos                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tetramethrin                     | 0.015/0.05     | ND              | 0.05         | Pass   |
| Thiabendazole                    | 0.007/0.02     | ND              | 0.02         | Pass   |
| Thiacloprid                      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Thiamethoxam                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Thiophanate Methyl               | 0.007/0.02     | ND              | 0.02         | Pass   |
| Trifloxystrobin                  | 0.003/0.01     | ND              | 0.01         | Pass   |
| 2-Phenylphenol                   | 0.08/0.25      | ND              | 0.25         | Pass   |
| 3,4-Dichloroaniline              | 0.08/0.25      | ND              | 0.25         | Pass   |
| Acetochlor                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Alachlor                         | 0.05/0.15      | ND              | 0.25         | Pass   |
| Ametryn                          | 0.03/0.10      | ND              | 0.5          | Pass   |
| Aminocarb                        | 0.03/0.10      | ND              | 0.25         | Pass   |
| Biphenyl                         | 0.08/0.25      | ND              | 0.25         | Pass   |
| Carbendazim                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Cycloate                         | 0.08/0.25      | ND              | 0.5          | Pass   |
| Cyromazine                       | 0.03/0.10      | ND              | 0.5          | Pass   |
| DCPA Dacthal, Chlorthal-dimethyl | 0.03/0.10      | ND              | 0.5          | Pass   |
| Diclobutrazol                    | 0.02/0.06      | ND              | 0.5          | Pass   |
| Diflubenzuron                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Diphenylamine                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Ethirimol                        | 0.02/0.06      | ND              | 0.5          | Pass   |
| Flutriafol                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Formetanate HCl                  | 0.03/0.10      | ND              | 0.1          | Pass   |
| Hexaconazole                     | 0.05/0.15      | ND              | 0.5          | Pass   |
| Hydramethylnon                   | 0.05/0.15      | ND              | 0.5          | Pass   |
| Indoxacarb                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Mandipropamid                    | 0.03/0.10      | ND              | 0.5          | Pass   |
| Metaflumizone                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Methoxyfenozide                  | 0.02/0.06      | ND              | 0.5          | Pass   |
| Metolachlor                      | 0.05/0.15      | ND              | 0.25         | Pass   |
| Nuarimol                         | 0.05/0.15      | ND              | 0.5          | Pass   |
| o,p'-DDD                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| o,p'-DDE                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| o,p'-DDT                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDD                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDE                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDT                         | 0.03/0.10      | ND              | 0.1          | Pass   |
| Pentachloroanisole               | 0.10/0.30      | ND              | 0.5          | Pass   |
| Prometryne                       | 0.02/0.06      | ND              | 0.5          | Pass   |
| Propamocarb                      | 0.08/0.25      | ND              | 0.5          | Pass   |
| Propargite                       | 0.08/0.25      | ND              | 0.5          | Pass   |
| Propyzamide                      | 0.05/0.15      | ND              | 0.5          | Pass   |
| Pymetrozine                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Pyrimethanil                     | 0.03/0.10      | ND              | 0.5          | Pass   |
| Quinoxifen                       | 0.03/0.10      | ND              | 0.5          | Pass   |
| Sulfoxaflo                       | 0.03/0.10      | ND              | 0.25         | Pass   |
| Tau-Fluvalinate                  | 0.08/0.25      | ND              | 0.5          | Pass   |
| Terbutryn                        | 0.02/0.06      | ND              | 0.25         | Pass   |
| Thiobencarb                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Tricyclazole                     | 0.02/0.06      | ND              | 0.5          | Pass   |
| Triflumizole                     | 0.05/0.15      | ND              | 0.5          | Pass   |

## Residual Solvent Screen ✔ Pass

12/26/2025

 Measurement of Uncertainty Average:  $\pm 1.43\%$ 

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,1-Dichloroethene                   | 2/4           | ND             | 8           | Pass   |
| 1,2-Dichloroethane                   | 0.2/0.5       | ND             | 1           | Pass   |
| Acetone                              | 14/40         | <LOQ           | 750         | Pass   |
| Acetonitrile                         | 14/40         | ND             | 60          | Pass   |
| Benzene                              | 0.2/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 14/40         | ND             | 800         | Pass   |
| Chloroform                           | 0.2/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 14/40         | 1890.00        | 5000        | Pass   |
| Ethyl acetate                        | 14/40         | ND             | 400         | Pass   |
| Ethyl ether                          | 14/40         | ND             | 500         | Pass   |
| Ethylene oxide                       | 0.2/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 14/40         | ND             | 500         | Pass   |
| n-Hexane                             | 14/40         | ND             | 100         | Pass   |
| Isopropyl alcohol                    | 14/40         | ND             | 500         | Pass   |
| Methanol                             | 14/40         | ND             | 250         | Pass   |
| Methylene chloride                   | 0.2/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 14/40         | ND             | 750         | Pass   |
| Propane                              | 14/40         | ND             | 210         | Pass   |
| Toluene                              | 14/40         | ND             | 150         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 14/40         | ND             | 150         | Pass   |
| Trichloroethylene                    | 0.2/0.5       | ND             | 1           | Pass   |

## Heavy Metal Screen ✔ Pass

12/26/2025

**Method:** MF-CHEM-16  
**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)  
**Measurement of Uncertainty Average:**  $\pm 4.4\%$

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.033/0.101      | ND              | 0.2   | Pass   |
| Cadmium | 0.047/0.141      | ND              | 0.2   | Pass   |
| Mercury | 0.014/0.05       | ND              | 0.1   | Pass   |
| Lead    | 0.107/0.324      | ND              | 0.5   | Pass   |

## Foreign Material ✔ Pass

12/26/2025

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

12/26/2025

**Method:** MF-CHEM-13  
**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Measurement of Uncertainty (MU):**  $\pm 20.21\%$

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | 5             | -      |
| Aflatoxin B2     | 2/5             | ND               | 20            | -      |
| Aflatoxin G1     | 2/5             | ND               | 20            | -      |
| Aflatoxin G2     | 2/5             | ND               | 20            | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 2/5             | ND               | 5             | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by


Eric Tam  
Senior Chemist




Scan to verify

# Cannabis Potency Report

## <Sample Information>

|                  |                                   |              |                        |
|------------------|-----------------------------------|--------------|------------------------|
| Sample Name      | : 1369016A 2.5x RE                |              |                        |
| Sample ID        | : run026                          |              |                        |
| Data Filename    | : 1369016A 2.5x RE_run026_001.lcd |              |                        |
| Method Filename  | : CanEX1_052125_CP4-82_83.lcm     |              |                        |
| Batch Filename   | : 12-18-2025 processed.lcb        |              |                        |
| Vial #           | : 1-38                            | Sample Type  | : Unknown              |
| Injection Volume | : 5 uL                            |              |                        |
| Date Acquired    | : 12/18/2025 4:41:24 PM           | Acquired by  | : System Administrator |
| Date Processed   | : 12/18/2025 5:31:02 PM           | Processed by | : System Administrator |
| Sample Amount    | : 4.015 grams                     |              |                        |
| Dilution Factor  | : 10                              |              |                        |

## <Cannabinoid Chromatogram>



## <Peak Table>


| PDA Ch1 228nm |           |            |       |        |        |      |  |
|---------------|-----------|------------|-------|--------|--------|------|--|
| Peak#         | Ret. Time | Name       | Area  | Height | Conc.  | Unit |  |
| 1             | 4.150     | Delta9-THC | 26743 | 6074   | 0.0167 | mg/g |  |

# Cannabis Potency Report

## <Sample Information>

|                  |                                   |              |                        |
|------------------|-----------------------------------|--------------|------------------------|
| Sample Name      | : 1369016B 2.5x RE                |              |                        |
| Sample ID        | : run027                          |              |                        |
| Data Filename    | : 1369016B 2.5x RE_run027_002.lcd |              |                        |
| Method Filename  | : CanEX1_052125_CP4-82.83.lcm     |              |                        |
| Batch Filename   | : 12-18-2025 processed.lcb        |              |                        |
| Vial #           | : 1-39                            | Sample Type  | : Unknown              |
| Injection Volume | : 5 uL                            |              |                        |
| Date Acquired    | : 12/18/2025 4:54:44 PM           | Acquired by  | : System Administrator |
| Date Processed   | : 12/18/2025 5:31:26 PM           | Processed by | : System Administrator |
| Sample Amount    | : 4.023 grams                     |              |                        |
| Dilution Factor  | : 10                              |              |                        |

## <Cannabinoid Chromatogram>



## <Peak Table>

| Peak# | Ret. Time | Name       | Area  | Height | Conc.  | Unit |
|-------|-----------|------------|-------|--------|--------|------|
| 1     | 4.146     | Delta9-THC | 27427 | 6136   | 0.0170 | mg/g |